
## PO#2501-- -GLASSMAN Dbl Gates Style #72 (2-1/4" Stile/rail thickness)

Prowell Woodworks 8 0 0 . 4 6 6 . 1 8 5 0

Viewed on approach from street

Dated June 27, 2025




# PO#2501-- -GLASSMAN Dbl Gates Style #72 (2-1/4" stile/rail thickness)

Prowell Woodworks 800.466.1850

Dated June 27, 2025

Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.	
POSTS AND CAPS NOT INCLUDED	
GATE #1ENTRY COURTYARD PRODUCT SPECIFICATIONS / NOTES	
Product: Garden Gate Style #72. Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: R.O. 67" between jambs X 73-1/4" net heig Stile/rail thickness: 2-1/4" Swing Direction: IN-SWING	Latch: Site provided Hinge: Site provided Lead Time: Approx 3 months +/- from approval Ship To: Englewood, CO Notes: *Jambs 3"T x 5-1/2"W



## PO#2501-- -GLASSMAN Dbl Gates---(2-1/4" stile/rail thickness)

Prowell Woodworks 800.466.1850

### PO#2501-- -GLASSMAN Dbl Gates---(2-1/4" stile/rail thickness)

Prowell Woodworks 800.466.1850

Dated June 27, 2025

Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

#### POSTS AND CAPS NOT INCLUDED

Dbl GATES #3 KITCHEN GARDEN-- -PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #72 . T&G panel 2-1/4"T	
Material: Clear Western Cedar	
Construction: Mortise and Tenon	
Dimension: R.O: 48-1/2" X 67-3/8" net height	
Stile/rail Thickness: 2-1/4"	
Swing Direction: Right-Hand operable-IN-SWING	

Latch: Site provided Hinge: Site provided Lead Time: Approx 3 months +/-o from approval Ship To: Englewood, CO Notes: Jambs 3"T x 5-1/2"W


## PO#2501-- -GLASSMAN Dbl Gates Style #72 (2-1/4" stile/rail thickness)

Prowell Woodworks 800.466.1850

Viewed on approach from street

Dated June 27, 2025

### DBL GATES #6-- AT POOL



Dated June 27, 2025

Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

#### POSTS AND CAPS NOT INCLUDED

#### Dbl GATE #6 AT POOL -- - PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #72 . T&G panel 2-1/4"T Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: R.O: 76-3/4" X 54-1/8" net height Thickness: 2-1/4" Swing Direction: Right gate operable-IN-SWING

Latch: Site provided Hinge: Site provided Lead Time: Approx 3 months +/- from approval Ship To: Englewood, CO Notes: Jambs: 3"T x 5-1/2"W


## PO#25-- -GLASSMAN Dbl Gates Style Custom (2-1/4" stile/rail thickness)

#### Prowell Woodworks 800.466.1850

Viewed on approach from street

Dated June 27, 2025

### DBL GATES CARETAKER VESTIBULE



PO#25-- -GLASSMAN Dbl Gates Style Custom (2-1/4" stile/rail thickness)

Prowell Woodworks 800.466.1850

Dated June 27, 2025

Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

#### POSTS AND CAPS NOT INCLUDED

Dbl GATES CARETAKER'S VESTIBULE -- - PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style Custom . Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: R.O: 71-7/8" X 64" net height to springline Stile/rail Thickness: 2-1/4" Swing Direction: IN-SWING

Latch: Site provided Hinge: Site provided Lead Time: Approx 3 months +/- from approval Ship To: Englewood, CO Notes: