


WEST GATES @ ADU STEPS

Viewed on approach from the street




Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval by following the the e-signature link on your Site Page.

POSTS AND POST CAPS NOT INCLUDED


PON---West Gate @ Steps --PRODUCT SPECIFICATIONS / NOTES

Product: Dbl. Gates #88
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: O. D. gate width 63" X 45-1/4" ht
 from grade to springline
Thickness: 1-5/8"
Swing Direction: In-Swing?

Latch: RMH E414. Operable and Dummy
Hinge: 4.5" Ball-Bearing (6)
Jamb: 1-1/2" T x 3-3/4" W
Lead Time: Approx 6-8 wks from approval
Ship To: San Rafael, CA
Notes:



Prowell Woodworks
800.466.1850




Prowell Woodworks
800.466.1850

PO#2505-PON--gate style 88. 1-5/8" thickness

Feb 5, 2025

GATE @ EAST ENTRANCE
Viewed approaching the property



OMIT GATE @ EAST ENTRANCE


Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval by following the the e-signature link on your Site Page.

POSTS AND POST CAPS NOT INCLUDED

PON --Gate @ East Entrance--PRODUCT SPECIFICATIONS / NOTES

Product: Single gate #88
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: Rough opening 48" X 48 ht from grade to apex
Thickness: 1-5/8"
Swing Direction: see below

Latch: TBD
Hinge: 4.5" Ball-Bearing (6)
Lead Time: Approx 6-8 wks from approval
Ship To: San Rafael, CA
Notes: No site specs Pg 7B for this gate.
Mounting posts? swing?




PO#2505-PON--gate style 40. 1-5/8" thickness

GATE @ WALNUT AVENUE

Viewed approaching the property

Prowell Woodworks
800.466.1850

Dated: Feb 7, 2025




Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval by following the the e-signature link on your Site Page.

POSTS AND POST CAPS NOT INCLUDED

PON---Gate @ Walnut Avenue--PRODUCT SPECIFICATIONS / NOTES

Product: Single gate #40
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: Rough opening 48-5/8" X 72 ht from grade.
Thickness: 1-5/8"
Swing Direction: see below

Latch: TBD
Hinge: 4.5" Ball-Bearing (3)
Lead Time: Approx 6-8 wks from approval
Ship To: San Rafael, CA
Notes:



PROWELL WOODWORKS
800.466.1850

