


Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.

POSTS AND POST CAPS NOT INCLUDED

BAKER--- GATE #1 PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #27-9
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O: 47-1/2" jamb-to-Jamb x 60-1/4" ht from grade to apex
Thickness: 1-5/8"
Swing Direction: Right-Hand-In


Latch: ??
Hinge: 4.5" Ball-Bearing (3)
Lead Time: Approx 6-8 wks from approval
Ship To: SC
Notes: 3" rise off gate springline, matching surround radius



GATE #2
Viewed on approach from street

GRIDS 4.67" SQ

Shown with flanking Pony Panels on separate drawing





Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.

POSTS AND POST CAPS NOT INCLUDED

BAKER--- GATE #2 PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate #60
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O width 41" between jambs X 43-1/2" ht from grade
Thickness: 1-5/8"
Swing Direction: Right-Hand-Out

Latch: ??
Hinge: 4.5" Ball-Bearing (2)
Lead Time: Approx 6-8 wks from approval
Ship To: S Carolina
Notes:



PO#2505--BAKER--GATE #3. STYLE 60 modified

1-5/8" THICKNESS

Dated: Feb 20, 2025

Prowell **W**oodworks
800.466.1850



Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.

POSTS AND POST CAPS NOT INCLUDED

BAKER--- GATE #3 PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #60 modified
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O: 47-1/2" jamb-to-Jamb x 61" ht from grade to apex
Thickness: 1-5/8"
Swing Direction: Right-Hand-Out


Latch: ??
Hinge: 4.5" Ball-Bearing (3)
Lead Time: Approx 6 -8 wks from approval
Ship To: SC
Notes:



Prowell **W**oodworks
800.466.1850

GATE #4
Viewed on approach from street

GRIDS 4.7" SQ





Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.

POSTS AND POST CAPS NOT INCLUDED

BAKER--- GATE #4 PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #60 modified
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: 47-7/8" net width x 60" ht from grade
Thickness: 1-5/8"
Swing Direction: Left-Hand-Out

Latch: ??
Hinge: 4.5" Ball-Bearing (3)
Jamb: ?? Site-Provided?
Lead Time: Approx 6-8 +wks from approval
Ship To: SC
Notes:



PO#2505--BAKER--GATE #5. STYLE 60 modified
1-5/8" THICKNESS

Prowell Woodworks
800.466.1850

Dated: Feb 20, 2025

Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.

POSTS AND POST CAPS NOT INCLUDED

BAKER--- GATE #5 PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #27-9

Material: Clear Western Cedar

Construction: Mortise and Tenon

Dimension: R.O: 48-3/4" jamb-to-Jamb x 60-1/4" ht from grade

Thickness: 1-5/8"

Swing Direction: Left-Hand-Out



Latch: ??

Hinge: 4.5" Ball-Bearing (3)

Lead Time: Approx 6-8 +wks from approval

Ship To: SC

Notes: Top gate radius as noted



Prowell Woodworks
800.466.1850