



www.prowellwoodworks.com
 445 Portal St. #5, Cotati, CA 94931
 PST: 800 . 466 . 1850 FAX: 707 . 861 . 3409

System Entry
 2/5/2025

Billing info

David Washington

17 Mar Vista Drive

Monterey, CA 93940

dave.washington@oesteam.com

(720) 273-7033

URL Posted Date
 2/6/2025

Description	Price
Single gate style 84. Rough opening between wood wraps at 44" x 84" ht from grade to apex. 1-5/8" thickness. Swing: RH-Out	\$3,752.00
Three 4.5" ball-bearing hinges	\$180.00
Rocky Mountain latch/dead bolt E438/437 White Bronze dark	\$1,065.00
Rocky Mt shipping	\$22.00

A handwritten signature in cursive script, appearing to be "Dw".



www.prowellwoodworks.com
445 Portal St. #5, Cotati, CA 94931
PST: 800 . 466 . 1850 FAX: 707 . 861 . 3409

System Entry

2/5/2025

Billing info

David Washington
17 Mar Vista Drive
Monterey, CA 93940

dave.washington@oesteam.com

(720) 273-7033

URL Posted Date

2/6/2025

Credit Card Number
Adv Pay Date Adv Pay Approve
Final Pay Date Final Pay Approve

Item Subtotal \$5,019.00
Sales Tax \$134.13
Delivery \$425.00

Grand Total \$5,578.13
Advance Pay
Final Pay

Balance Due \$5,578.13

NOTES:

Payment: A 50% advance is processed (via card or check) prior to the start of all work. Final payment will be processed upon completion of your order and prior to shipping.

Cancellations: Because we are a custom, made-to-order shop, there is a fee of 25% of your advance payment not to exceed \$1,000 for cancellations prior to the approval of your drawings. **There are no refunds once the drawings have been approved.

Pricing Quotes: Quoted and agreed upon pricing remains valid for 1 month from when your payment information is entered. If after 1 month and the project has not arrived at the stage of creating drawings, or the drawings have not been approved, the original quote is subject to review.

Storage: Products are preferably shipped or delivered within 2 weeks of posting completed photos.

Hardware: There is a 25% fee for all returns of unblemished products within one month of sale. Items that have been installed and exposed to the weather are non refundable unless they are defective.

Standard Lock-sets and Electronic Access: The use of standard 2-3/8" back-set locks over traditional gate latches is not recommended. This includes certain electronic access specifications requiring minimal swing clearance. Normal expansion of your gate will occur and the clearance required for a standard 2-3/8" lock-set (1/4" max) puts the gate at risk of becoming wedged against the jamb, requiring the sort of effort with each passage that can damage the gate. We cannot support the integrity of any gate that uses a standard back-set lock-set. We insist upon the use of Gate Latches or dead bolts allowing 3/8"-1/2" clearance between the edge of the gate and the jamb or post.

Finishing: All products must be fully exposed to your regional climate for 3 weeks prior to applying any solid or opaque finishes. Our WoodRX absorbing finish is available as a pre-finish or can be applied upon receipt of products. WoodRX color charts vary on the finished product as per inherent hues and tints of western cedar.

Shipping/Crating: It is always best to have someone present to accept delivery. In the event of a potentially damaged crate, you must sign off on the delivery receipt at the time of delivery noting the possibly damaged crate. If on later inspection, there is damage to the product, you must contact UPS freight at the number on your receipt to report this damage within 5 days of delivery and request an inspector. If damage is not noted on the delivery receipt and UPS is not contacted within 5 days, liability falls on the receiver. Prowell Woodworks will not automatically replace your damaged product free of charge.

****Please review your statement and drawings for accuracy. Upon approval, please provide your signature and date, confirming the accuracy of both the statement and dated drawings.

****Drawings dated February 7, 2025.

Approval Signature


Date

2/7/25

PO#2511 WASHINGTON--Gate style #84----- thickness: 2-1/4"

Prowell Woodworks
800.466.1850

Dated: Feb 7, 2025



Handwritten signature

PO#2511 WASHINGTON--

Prowell Woodworks
800.466.1850

Dated: Feb 7, 2025

Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

POSTS AND POST CAPS NOT INCLUDED

WASHINGTON --- PRODUCT SPECIFICATIONS / NOTES

Product: GATE Style #20
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: Net 43-3/8" X 84" from grade to apex
Thickness: 1-5/8"
Swing Direction: Right-Hand-Out

Latch: RMH E438 white bronze dark
Hinge: 4-1/2" Ball-Bearing (3)
Lead Time: **Approx 4 wks** from approval
Ship To: Monterey, CA
Notes: Temp stops for glass inserts

