


PO# 2515--CHEN--Gate style 20. 2-1/4" thickness

PROWELL Woodworks  
800.466.1850

GATE #2  
Grids: 5.42" sq

Dated: Feb 4, 2025



Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page. ■

**POSTS AND POST CAPS NOT INCLUDED**

CHEN: GATE #1--PRODUCT SPECIFICATIONS / NOTES


**Product:** Garden Gate Style #20  
**Material:** Clear Western Cedar  
**Construction:** Mortise and Tenon  
**Dimension:** R.O between jambs at 40" x 68-5/8" ht from grade to spring-point  
**Thickness:** 2-1/4"  
**Swing Direction:** Left-Hand-In

**Latch:** RMH E701. L110 lever  
 RMH dead bolt DB508 (WBL)  
**Hinge:** 4.5" ball-bearing hinges (3)  
**Lead Time:** Approx 4-6 wks from approval  
**Ship To:** Pick up at shop  
**Notes:** Dead bolt 508 to match Level Bolt compatibility

CHEN: GATE #2-- PRODUCT SPECIFICATIONS / NOTES


**Product:** Garden Gate Style #20  
**Material:** Clear Western Cedar  
**Construction:** Mortise and Tenon  
**Dimension:** R.O between jambs 44-1/2" X 68-1/4" ht from grade to spring-point  
**Thickness:** 2-1/4"  
**Swing Direction:** Right-Hand-In

**Latch:** RMH E701. L110 lever  
 RMH dead bolt DB508 (WBL)  
**Hinge:** 4.5" ball-bearing hinges (3)  
**Lead Time:** Approx 4-6 wks from approval  
**Ship To:** Pick up at shop  
**Notes:** Dead bolt 508 to match Level Bolt compatibility



AS IF APPROACHING FROM THE STREET  
FACING THE PROPERTY

Prowell Woodworks  
800.466.1850



AS IF APPROACHING FROM THE STREET  
FACING THE PROPERTY