
## PO#2535--LAMBORN -Gate 29-18. 1-5/8" thickness & ARBOR 15-8.

Viewed on approach from street

Dated: June 23, 2025

Note: Arbor height is determined by post height. Shown at 84" from grade to underside arbor clearance



Prowell Woodworks 8 0 0 . 4 6 6 . 18 5 0

Dated: Aug 14, 2025

Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

## POSTS AND POST CAPS NOT INCLUDED

## BARON --- PRODUCT SPECIFICATIONS /

Product: Dutch Gate: Style #29-18 Material: Clear Western Cedar Construction: Mortise and Tenon

Dimension: R.O: 36-5/8" X 72" from grade to spring-point

Thickness: 1-5/8" Jambs: No

Swing Direction: Right-Hand-In

Hardware: RMH 504 latch--silicone bronze dark

-RMH DB11 dead bolt -Clavos DC7. 7/8" round. (8)


Hinges: OHS124 (2)

4.5" ball-bearing hinges (4)

Finish: No

Deliver to: West Jordan Utah


Notes:



Note: The ultimate height of the arbor truss is determined by the height of the posts.

Dated: Aug 14, 2025

## SIDE VIEW



PLAN VIEW

Dated: Aug 14, 2025

