

PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL Woodworks  
8 0 0 . 4 6 6 . 1 8 5 0

Dated: Jan. 6, 2026

GATE #1


Exterior Front Left Gate

8.51" SQ GRIDS--LH-OUT SWING

Radius: 55.71°

Jan 6 revisions:

- \*Revised net ht to 60-3/32"
- \* Changes the grid size to 8.51"
- \*Bottom clearance of 1-1/2"



PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL Woodworks  
800.466.1850

Dated: Jan. 6, 2026


GATE #2  
Exterior Front Right Main Gate

Revisions:

\*Bottom clearance of 1-1/2"

4.35" SQ GRIDS--RH-OUT SWING

Radius 29.61°



PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL Woodworks  
800.466.1850

Dated: Jan. 6, 2026

GATE #3


Exterior Front Right Outside Trash Enclosure Gate

5.44" SQ GRIDS---RH-OUT SWING

Radius 33.64°

Revisions:

\*Bottom clearance of 1-1/2"



PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL Woodworks  
800.466.1850

Dated: Jan. 6, 2026


GATE #4

## Exterior Front Right Inside Trash Enclosure Gate

4.75" SQ GRIDS---LH-IN SWING  
Radius 26.91

## Revisions:

\*Bottom clearance of 1-1/2"



PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL WOODWORKS  
800.466.1850


Dated: Jan. 6, 2026

## GATE #5

## Pool House Shower Gate

## 2.02" SQ GRIDS---LH-IN SWING

Radius 26.91



Jan 6 revisions:

\*Revised upper grid to solid T&G.

(Less \$165)

\*Mid-rail centered at 60" from grade.

\*Mortise lock to 36" from grade

\* Move lock-mid-rail to center at 36" from grade

\* Bottom clearance 1-1/2"


PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL WOODWORKS  
800.466.1850

GATE #6  
Creek Rear Gate

Dated: Jan. 6, 2026

4.47" SQ GRIDS---SWING: Not applicable  
Radius 26.91"



Carefully review this drawing and noted specifications for your made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

**POSTS AND POST CAPS NOT INCLUDED**

**GATE #1 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES**

<b>Product:</b> Gate Style #20 <b>Material:</b> Clear Western Cedar <b>Construction:</b> Mortise and Tenon <b>Dimension:</b> Net 60-3/32" X 69" ht from grade to spring-point (78" grade to apex) <b>Thickness:</b> 2-1/4" <b>Swing Direction:</b> Left-Hand-Out	<b>Latch:</b> Site-Provided <b>Hinge:</b> N/A <b>Finish:</b> No <b>Lead Time:</b> Approx 2 months from approval <b>Ship To:</b> Palo Alto, CA <b>Notes:</b> Embedded wiring *5-1/2"W stiles *1-1/2" bottom clearance
--	---

**GATE #2 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES**

<b>Product:</b> Gate Style #20 <b>Material:</b> Clear Western Cedar <b>Construction:</b> Mortise and Tenon <b>Dimension:</b> Net 39-9/32" X 69" ht from grade to spring-point (78" grade to apex) <b>Thickness:</b> 2-1/4" <b>Swing Direction:</b> Right-Hand-Out	<b>Latch:</b> Site-Provided <b>Hinge:</b> N/A <b>Finish:</b> No <b>Lead Time:</b> Approx 2 months from approval <b>Ship To:</b> Palo Alto, CA <b>Notes:</b> Embedded wiring *5-1/2"W stiles *1-1/2" bottom clearance
---	---

**GATE #3 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES**

<b>Product:</b> Gate Style #20 <b>Material:</b> Clear Western Cedar <b>Construction:</b> Mortise and Tenon <b>Dimension:</b> Net 44-23/32" X 69" ht from grade to spring-point (78" grade to apex) <b>Thickness:</b> 2-1/4" <b>Swing Direction:</b> Right-Hand-Out	<b>Latch:</b> Site-Provided <b>Hinge:</b> N/A <b>Finish:</b> No <b>Lead Time:</b> Approx 2 months from approval <b>Ship To:</b> Palo Alto, CA <b>Notes:</b> Embedded wiring *5-1/2"W stiles *1-1/2" bottom clearance
--	---

**GATE #4 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES**

<b>Product:</b> Gate Style #20 <b>Material:</b> Clear Western Cedar <b>Construction:</b> Mortise and Tenon <b>Dimension:</b> Net 40-9/32" X 69" ht from grade to spring-point (Maintain gate #2 radius) <b>Thickness:</b> 2-1/4" <b>Swing Direction:</b> Left-Hand-In	<b>Latch:</b> Site-Provided <b>Hinge:</b> N/A <b>Finish:</b> No <b>Lead Time:</b> Approx 2 months from approval <b>Ship To:</b> Palo Alto, CA <b>Notes:</b> Embedded wiring * 5"W stiles *1-1/2" bottom clearance
---	--

GATE #5	FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES
<p><b>Product:</b> Gate Style #31</p> <p><b>Material:</b> Clear Western Cedar</p> <p><b>Construction:</b> Mortise and Tenon</p> <p><b>Dimension:</b> Net 27-5/8" X 69" ht from grade to spring-point (Maintain gate #2 radius)</p> <p><b>Thickness:</b> 2-1/4"</p> <p><b>Swing Direction:</b> Left-Hand-In</p>	<p><b>Latch:</b> Site-Provided</p> <p><b>Hinge:</b> N/A</p> <p><b>Finish:</b> No</p> <p><b>Lead Time:</b> Approx 2 months from approval</p> <p><b>Ship To:</b> Palo Alto, CA</p> <p><b>Notes:</b> <b>NO</b> Embedded wiring * 5-1/2"W stiles *1-1/2" bottom clearance</p>

GATE #6	FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES
<p><b>Product:</b> Gate Style #31</p> <p><b>Material:</b> Clear Western Cedar</p> <p><b>Construction:</b> Mortise and Tenon</p> <p><b>Dimension:</b> Net 38-7/8" X 96" ht from grade to apex (Maintain gate #2 radius)</p> <p><b>Thickness:</b> 2-1/4"</p> <p><b>Swing Direction:</b> Right-Hand-Out</p>	<p><b>Latch:</b> Site-Provided</p> <p><b>Hinge:</b> N/A</p> <p><b>Finish:</b> No</p> <p><b>Lead Time:</b> Approx 2 months from approval</p> <p><b>Ship To:</b> Palo Alto, CA</p> <p><b>Notes:</b> <b>NO</b> Embedded wiring * 5"W stiles *1/2" bottom clearance</p>

