


GATE #1
Exterior Front Left Gate

Feb 16 revisions:
* Move lock to 40" from grade

5.62" SQ GRIDS---LH-OUT SWING
Radius: 55.71°

Showing Typical Wiring Schematic
and T&G Dado depths



PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL WOODWORKS
800.466.1850


Dated: Feb 16, 2026

GATE #2
Exterior Front Right Main Gate

Revisions: 16th
* Lock to 40" from grade
* Show wiring schematic

4.35" SQ GRIDS---RH-OUT SWING

Radius 26.74



GATE #3

Exterior Front Right Outside Trash Enclosure Gate


5.44" SQ GRIDS---RH-OUT SWING

Radius 33.64°

Revisions: 16th

* Lock to 40" from grade

* Show wiring schematic



GATE #4

Exterior Front Right Inside Trash Enclosure Gate


4.75" SQ GRIDS---LH-IN SWING

Radius 26.74

Revisions: 16th

* Lock to 40" from grade

* Show wiring schematic



PO#2602--FOUNTAIN--Gate style #20----- thickness: 2-1/4"

PROWELL Woodworks
800.466.1850

Dated: Feb 16, 2026

GATE #5

Pool House Shower Gate

Revisions: 16th


* Grade to apex at 72"

* Show Lock at 41-3/4" from grade

No Embedded Wiring

LH-IN SWING

Radius 40.55"



GATE #6

Creek Rear Gate

Dated: Feb 16, 2026

No Embedded Wiring

SWING: Not applicable

Radius 22.44"


revisions: 16th

* 98" grade to apex

(spring-point unchanged)

* Top arch is segmented

* Lock shown at 41-3/4"
from grade



Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

POSTS AND POST CAPS NOT INCLUDED

| GATE #1 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES | |
|---|--|
| Product: Gate Style #20 Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: Net 60-3/32" X 69" ht from grade to spring-point (78" grade to apex) Thickness: 2-1/4" Swing Direction: Left-Hand-Out | Latch: Site-Provided Hinge: N/A Finish: No Lead Time: Approx 2 months from approval Ship To: Palo Alto, CA Notes: Embedded wiring *5-1/2"W stiles. 10-1/2" Bottom rail *1-1/2" bottom clearance |

| GATE #2 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES | |
|--|--|
| Product: Gate Style #20 Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: Net 39-9/32" X 69" ht from grade to spring-point (78" grade to apex) Thickness: 2-1/4" Swing Direction: Right-Hand-Out | Latch: Site-Provided Hinge: N/A Finish: No Lead Time: Approx 2 months from approval Ship To: Palo Alto, CA Notes: Embedded wiring *5-1/2"W stiles. 10-1/2" Bottom rail *1-1/2" bottom clearance |

| GATE #3 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES | |
|---|--|
| Product: Gate Style #20 Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: Net 44-23/32" X 69" ht from grade to spring-point (78" grade to apex) Thickness: 2-1/4" Swing Direction: Right-Hand-Out | Latch: Site-Provided Hinge: N/A Finish: No Lead Time: Approx 2 months from approval Ship To: Palo Alto, CA Notes: Embedded wiring *5-1/2"W stiles. 10-1/2" Bottom rail *1-1/2" bottom clearance |

| GATE #4 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES | |
|--|---|
| Product: Gate Style #20 Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: Net 40-9/32" X 69" ht from grade to spring-point (Maintain gate #2 radius) Thickness: 2-1/4" Swing Direction: Left-Hand-In | Latch: Site-Provided Hinge: N/A Finish: No Lead Time: Approx 2 months from approval Ship To: Palo Alto, CA Notes: Embedded wiring * 5-1/2"W stiles. 10-1/2" Bottom rail *1-1/2" bottom clearance |

| GATE #5 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES | |
|--|--|
| <p>Product: Gate Style #31 Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: Net 27-5/8" X 69" ht from grade to spring-point (Maintain gate #2 radius) Thickness: 2-1/4" Swing Direction: Left-Hand-In</p> | <p>Latch: Site-Provided Hinge: N/A Finish: No Lead Time: Approx 2 months from approval Ship To: Palo Alto, CA Notes: NO Embedded wiring * 5-1/2"W stiles. 10-1/2" Bottom rail *1-1/2" bottom clearance</p> |

| GATE #6 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES | |
|--|---|
| <p>Product: Gate Style #31 Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: Net 38-7/8" X 98" ht from grade to apex (Maintain gate #2 radius) Thickness: 2-1/4" Swing Direction: Right-Hand-Out</p> | <p>Latch: Site-Provided Hinge: N/A Finish: No Lead Time: Approx 2 months from approval Ship To: Palo Alto, CA Notes: NO Embedded wiring * 5"W stiles. 10-1/2" Bottom rail *1/2" bottom clearance *Segmented top arch</p> |

