


GATE #1  
Exterior Front Left Gate

5.62" SQ GRIDS---LH-OUT SWING  
Radius: 55.71°

Revisions: 2/21  
\* Dado for on-site wiring along lock edge and top arch.

5/8"W x 1/2" Deep dado Typ.  
(Fill strip provided)

Showing Typical Wiring Schematic  
and T&G Dado depths




PROWELL WOODWORKS  
800.466.1850

GATE #2  
Exterior Front Right Main Gate

4.35" SQ GRIDS---RH-OUT SWING  
Radius 26.61

Revisions: 2/21  
\* Dado for on-site wiring along lock edge and top arch.

5/8"W x 1/2"Deep dado Typ.  
(Fill strip provided)



GATE #3

Exterior Front Right Outside Trash Enclosure Gate


5.44" SQ GRIDS---RH-OUT SWING

Radius 33.64°

Revisions: 2/21

\* Dado for on-site wiring along lock edge and top arch.

5/8"W x 1/2"Deep dado Typ.  
(Fill strip provided)




GATE #4

Exterior Front Right Inside Trash Enclosure Gate

4.75" SQ GRIDS---LH-IN SWING  
Radius 26.74

Revisions: 2/21

\* Dado for on-site wiring along lock edge and top arch.



GATE #5

Pool House Shower Gate

LH-IN SWING

Radius 26.61"

Revisions: 2/21

\* Height at 72" from grade to apex


\* Spring-point at 68.05" from grade

Revisions 2/19:

\* Gate ht from grade at 72".  
Springpoint variable.

\*Radius matching Gate #2  
26.61"

No Embedded Wiring



GATE #6

Creek Rear Gate

SWING: Not applicable

Radius 22.44"

Dated: Feb 21, 2026

revisions: 2/16


\* 98" grade to apex

(spring-point unchanged)

\* Top arch is segmented

\* Lock shown at 41-3/4" from grade

No Embedded Wiring



Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

**POSTS AND POST CAPS NOT INCLUDED**

**GATE #1** FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES

**Product:** Gate Style #20  
**Material:** Clear Western Cedar  
**Construction:** Mortise and Tenon  
**Dimension:** Net 60-3/32" X 69" ht from grade to spring-point (78" grade to apex)  
**Thickness:** 2-1/4"  
**Swing Direction:** Left-Hand-Out

**Latch:** Site-Provided  
**Hinge:** N/A  
**Finish:** No  
**Lead Time:** Approx 2 months from approval  
**Ship To:** Palo Alto, CA  
**Notes:**  
 \*Provide wiring dado and fill strip  
 \*5-1/2"W stiles. 10-1/2" Bottom rail  
 \*1-1/2" bottom clearance

**GATE #2** FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES

**Product:** Gate Style #20  
**Material:** Clear Western Cedar  
**Construction:** Mortise and Tenon  
**Dimension:** Net 39-9/32" X 69" ht from grade to spring-point (78" grade to apex)  
**Thickness:** 2-1/4"  
**Swing Direction:** Right-Hand-Out

**Latch:** Site-Provided  
**Hinge:** N/A  
**Finish:** No  
**Lead Time:** Approx 2 months from approval  
**Ship To:** Palo Alto, CA  
**Notes:** \*Provide wiring dado and fill strip  
 \*5-1/2"W stiles. 10-1/2" Bottom rail  
 \*1-1/2" bottom clearance

**GATE #3** FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES

**Product:** Gate Style #20  
**Material:** Clear Western Cedar  
**Construction:** Mortise and Tenon  
**Dimension:** Net 44-23/32" X 69" ht from grade to spring-point (78" grade to apex)  
**Thickness:** 2-1/4"  
**Swing Direction:** Right-Hand-Out

**Latch:** Site-Provided  
**Hinge:** N/A  
**Finish:** No  
**Lead Time:** Approx 2 months from approval  
**Ship To:** Palo Alto, CA  
**Notes:** \*Provide wiring dado and fill strip  
 \*5-1/2"W stiles. 10-1/2" Bottom rail  
 \*1-1/2" bottom clearance

**GATE #4** FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES

**Product:** Gate Style #20  
**Material:** Clear Western Cedar  
**Construction:** Mortise and Tenon  
**Dimension:** Net 40-9/32" X 69" ht from grade to spring-point (Maintain gate #2 radius)  
**Thickness:** 2-1/4"  
**Swing Direction:** Left-Hand-In

**Latch:** Site-Provided  
**Hinge:** N/A  
**Finish:** No  
**Lead Time:** Approx 2 months from approval  
**Ship To:** Palo Alto, CA  
**Notes:** \*Provide wiring dado and fill strip  
 \* 5-1/2"W stiles. 10-1/2" Bottom rail  
 \*1-1/2" bottom clearance

GATE #5 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES	
<p><b>Product:</b> Gate Style #31  <b>Material:</b> Clear Western Cedar  <b>Construction:</b> Mortise and Tenon  <b>Dimension:</b> Net 27-5/8" X 69" ht from grade to spring-point. 72" +/- grade to apex. (Maintain gate #2 radius).  <b>Thickness:</b> 2-1/4"  <b>Swing Direction:</b> Left-Hand-In</p>	<p><b>Latch:</b> Site-Provided  <b>Hinge:</b> N/A  <b>Finish:</b> No  <b>Lead Time:</b> Approx 2 months from approval  <b>Ship To:</b> Palo Alto, CA  <b>Notes:</b> <b>NO</b> Embedded wiring            * 5-1/2"W stiles. 10-1/2" Bottom rail            *1-1/2" bottom clearance</p>

GATE #6 FOUNTAIN --- PRODUCT SPECIFICATIONS / NOTES	
<p><b>Product:</b> Gate Style #31  <b>Material:</b> Clear Western Cedar  <b>Construction:</b> Mortise and Tenon  <b>Dimension:</b> Net 38-7/8" X 98" ht from grade to apex (Maintain gate #2 radius)  <b>Thickness:</b> 2-1/4"  <b>Swing Direction:</b> Right-Hand-Out</p>	<p><b>Latch:</b> Site-Provided  <b>Hinge:</b> N/A  <b>Finish:</b> No  <b>Lead Time:</b> Approx 2 months from approval  <b>Ship To:</b> Palo Alto, CA  <b>Notes:</b> <b>NO</b> Embedded wiring            * 5"W stiles. 10-1/2" Bottom rail            *1/2" bottom clearance            *Segmented top arch</p>

