





Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.

POSTS AND POST CAPS NOT INCLUDED**WARD---GATE @ 45TH PRODUCT SPECIFICATIONS / NOTES**


Product: Garden Gate Style #8-8 & Arbor #14
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O. 40-3/8" x 60+_" from grade to spring-point
Thickness: Gate: 1-5/8". Arbor Trusses 1-5/8"
Attaches To: Wood Posts
Swing Direction: Left-Hand-In

Latch: RMH e414 SBD (Lever L30161)
Hinge: 4.5" Ball-Bearing (3)
Finish: Not Included
Lead Time: Approx. 8-10 wks from approval
Ship To: Seattle, WA
Notes: Arbor: No keystone



AS IF APPROACHING FROM THE STREET
FACING THE PROPERTY

Prowell Woodworks
800.466.1850





AS IF APPROACHING FROM THE STREET
FACING THE PROPERTY

SIDE VIEW


July 17, 2026

Page 3



Two (2) identical transition panels.
Both panels utilizing joinery and vertical
frame widths toward usage as trash access
(Right panel operable)

Viewed as approaching the Trash Enclosure



Left panel inoperable.
Net width is 36" post-to-post
(No hinge and swing clearance)

LEFT-HAND-OUT SWING

PO#2611--WARD---Stylized Side Panels @ 45TH. 1-5/8" Thickness
Two Count

P_{ROWELL} W_{OODWORKS}
800.466.1850

July 17, 2026
Page 5

