


Page 7

Viewed as approaching from the street
Right-Hand-Swing




Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.


POSTS AND POST CAPS NOT INCLUDED

WARD---SIDE YARD GATE--- PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #30 modified
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O. 43-3/8" x 72" from grade
Thickness: Gate: 1-5/8".
Attaches To: Wood Posts
Swing Direction: Right-Hand-In

Latch: RMH e414 SBD (Lever L30161)
 Emtek EMPowered deadbolt (Oil-rubbed bronze)
Hinge: 4.5" Ball-Bearing (3)
Finish: Not Included
Lead Time: Approx. 8-10 wks from approval
Ship To: Seattle, WA
Notes:





Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. Transmit approval through the email link on your log-in site page.

POSTS AND POST CAPS NOT INCLUDED

WARD---ENTRY GATE--- PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #30 modified
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O. 40-5/16" x 3' 11" ? ht from grade to top of top rail
Thickness: Gate: 1-5/8".
Attaches To: Wood Posts
Swing Direction: Right-Hand-In

Latch: RMH e414 SBD (Lever L30161)
Emtek EMPowered deadbolt (Oil-rubbed bronze)
Hinge: 4.5" Ball-Bearing (3)
Finish: Not Included
Lead Time: Approx. 8-10 wks from approval
Ship To: Seattle, WA
Notes: Verify gate ht from grade to top of top rail