



Breezeway Gate viewed as upon **approach from the street**




- wood posts



Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval. POSTS AND POST CAPS NOT INCLUDED	
TAKANO--SIDE GATE----PRODUCT SPECIFICATIONS / NOTES	
Product: Custom Gate Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: R.O width 41-5/8" X 69-1/2" net ht Thickness: 1-5/8" Swing Direction: Right-Hand-In approaching from street?? See diagram	Latch: RMH e414 + DB507 dead bolt SBD finish Hinge: Three 4.5" Ball-Bearing Finish: No Lead Time: Approx 9-10 wks from approval Jams: No Ship To: Seattle, WA Notes:

TAKANO--FRONT YARD GATE-- PRODUCT SPECIFICATIONS / NOTES	
Product: Custom Gate Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: R.O width 44-1/4" concrete-to-post X 58" net ht Thickness: 1-5/8" Swing Direction: Right-Hand-In when approaching from the street (Left-Hand-Out from within the property ?? see diagram	Latch: RMH e414 SBD finish Hinge: Three 4.5" Ball-Bearing Finish: No Lead Time: Approx 8-10 wks from approval Jams: One jamb mounting to concrete Ship To: Seattle, WA Notes:



Prowell Woodworks

8 0 0 . 4 6 6 . 1 8 5 0

