



Breezeway Gate viewed as upon **approach from the street**



wood posts



Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

POSTS AND POST CAPS NOT INCLUDED

TAKANO--SIDE GATE----PRODUCT SPECIFICATIONS / NOTES


Product: Custom Gate
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O width 41-5/8" X 69-1/2" net ht
Thickness: 1-5/8"
Swing Direction: Right-Hand-In

Latch: RMH e414 + DB507 dead bolt
SBD finish
Hinge: Three 4.5" Ball-Bearing
Finish: No
Lead Time: Approx 9-10 wks from approval
Jambs: No
Ship To: Seattle, WA
Notes:

TAKANO--FRONT YARD GATE-- PRODUCT SPECIFICATIONS / NOTES

Product: Custom Gate
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O width 44-1/4" concrete-to-post X 58" net ht
Thickness: 1-5/8"
Swing Direction: Right-Hand-In

Latch: RMH e414 SBD finish
Hinge: Three 4.5" Ball-Bearing
Finish: No
Lead Time: Approx 8-10 wks from approval
Jambs: One jamb mounting to concrete
Ship To: Seattle, WA
Notes:



Prowell Woodworks

8 0 0 . 4 6 6 . 1 8 5 0

