



Side Gate viewed as upon approach from the street



<p>Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.</p> <p style="text-align: center;">POSTS AND POST CAPS NOT INCLUDED</p>	
<p>TAKANO--SIDE GATE----PRODUCT SPECIFICATIONS / NOTES</p>	
<p>Product: Custom Gate Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: R.O width 42" X 69-1/2" net ht Thickness: 1-5/8" Swing Direction: see diagram below</p>	<p>Latch: RMH e414 + DB507 dead bolt SBD finish Hinge: Three 4.5" Ball-Bearing Finish: No Lead Time: Approx 9-10 wks from approval Jams: No Ship To: Seattle, WA Notes:</p>

<p>TAKANO--FRONT YARD GATE-- PRODUCT SPECIFICATIONS / NOTES</p>	
<p>Product: Custom Gate Material: Clear Western Cedar Construction: Mortise and Tenon Dimension: R.O width 44" post-to-post X 58" net ht Thickness: 1-5/8" Swing Direction: see diagram below</p>	<p>Latch: RMH e414 SBD finish Hinge: Three 4.5" Ball-Bearing Finish: No Lead Time: Approx 8-10 wks from approval Jams: No Ship To: Seattle, WA Notes:</p>



Prowell Woodworks

8 0 0 . 4 6 6 . 1 8 5 0

