


FRONT GATE



Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.


POSTS AND CAPS NOT INCLUDED

EHRlich---FRONT GATE -PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #72 Modified
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O: 48" between stucco X 48" gate ht from grade
Thickness: 1-5/8"
Swing Direction: Left-Hand-Out (opening toward the driveway)

Latch: ?
Hinge: 4.5" ball-bearing (3)
Finish: No
Lead Time: Approx 4-6 wks from approval
Deliver To: Orinda, CA
Notes:

BACK GATE




Carefully review this drawing and noted specifications for you made-to-order product. Final approval is required before production can begin, at which point no returns or refunds will be granted. You will receive an e-signature link to transmit your final approval.

POSTS AND CAPS NOT INCLUDED

EHRlich---BACK GATE -PRODUCT SPECIFICATIONS / NOTES

Product: Garden Gate Style #72 Modified
Material: Clear Western Cedar
Construction: Mortise and Tenon
Dimension: R.O: 47-7/8" between stucco X 40-3/8" gate ht from grade
Thickness: 1-5/8"
Swing Direction: Left-Hand-Out (swing away from patio)

Latch: ?
Hinge: 4.5" ball-bearing (3)
Finish: No
Lead Time: Approx 4-6 wks from approval
Deliver To: Orinda, CA
Notes:



Prowell Woodworks

8 0 0 . 4 6 6 . 1 8 5 0

